

MINUTES OF THE WAVERLEY LOCAL PLANNING PANEL MEETING VIA ELECTRONIC COMMUNICATION ON 22 FEBRUARY 2022

Panel members:

Jacqueline Townsend (Chair)
Stuart McDonald
Gabrielle Morrish
Allyson Small (Community Representative).

WLPP-2111.3

10/9 Edward Street, BONDI BEACH NSW 2026 - Alterations and additions to Residential Flat Building including extension to Unit 10 (DA-399/2021)

Following the Waverley Local Planning Panel (“the Panel”) meeting on 24 November, the Panel deferred the determination of the application to enable the Applicant to submit an amended Clause 4.6 variation, (based on building height being measured from existing ground level) and a comprehensive view loss analysis for consideration.

The applicant has now provided these documents.

The Panel has conferred and reviewed the amended Clause 4.6 variation with the building height being measured from existing ground level and the View Loss Assessment report prepared by Urbis dated January 2022.

RESOLUTION: The Waverley Local Planning Panel, exercising the functions of Council as consent authority, is satisfied that the matters required to be addressed under clause 4.6(4) of Waverley LEP 2012 have been demonstrated and that consent may be granted to the development application that contravenes the building height development standard. In the opinion of the Panel the objectives of both the zone and the development standard are satisfied and therefore it is in the public interest. The Panel concurs on behalf of, and as the delegate of, the Secretary, Department of Planning, Industry and Environment.

Accordingly, the Panel grants approval to DA-399/2021 for Alterations and additions to Residential Flat Building including extension to Unit 10.

REASON: The Panel having reviewed the View Loss Assessment report, prepared by Urbis dated January 2022, on this matter has found that there are no planning reasons that could support the refusal of the development application.

The development generally complies with the relevant planning controls and has been unanimously decided that the application be approved subject to the conditions listed in Attachment A.

For the Resolution: Townsend, McDonald, Morrish and Small

Against the Resolution: NIL



Jacqueline Townsend
Chairperson

Attachment A
Conditions of the development consent

DA-399/2021

A. APPROVED DEVELOPMENT

1. APPROVED PLANS AND DOCUMENTATION

The development must be in accordance with:

(a) Architectural Plans prepared by Pearson Architecture of Project No: 1713 including the following:

Plan Number	Revision	Plan Description	Plan Date	Date received by Council
DA-1	-	Coversheet	13/08/21	24 September 2021
DA-10	-	Proposed Floor Plan	13/08/21	24 September 2021
DA-11	-	Proposed Roof Plan	13/08/21	24 September 2021
DA-12	-	Proposed Section	13/08/21	24 September 2021
DA-14	-	Proposed Front (South) Elevation	13/08/21	1 February 2022
DA-16	-	Proposed Side (West) Elevation	13/08/21	1 February 2022
DA-18	-	Proposed Rear (North) Elevation	13/08/21	1 February 2022
DA-20	-	Proposed Side (East) Elevation	13/08/21	1 February 2022
DA-23	-	Cross Section	13/08/21	1 February 2022

(b) BASIX Certificate

(c) Schedule of external finishes and colours received by Council on 24 September 2021

(d) The Site Waste and Recycling Management Plan (SWRMP) Part 1 (24/09/2021)

Except where amended by the following conditions of consent.

B. PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

GENERAL REQUIREMENTS

2. NO BUILDING OR DEMOLITION WORKS PRIOR TO RELEASE OF CONSTRUCTION CERTIFICATE

The building work, or demolition work, must not be commenced until:

- (a) a Construction Certificate has been obtained from Council or an Accredited Certifier in accordance with the *Environmental Planning and Assessment Act 1979*;
- (b) a Principal Certifying Authority has been appointed and Council has been notified of the appointment in accordance with the *Environmental Planning and Assessment Act 1979* and *Environmental Planning and Assessment Regulation 2000*; and
- (c) Council is given at least two days' notice in writing of the intention to commence the building works.

CONTRIBUTIONS, FEES & BONDS

3. SECTION 7.12 CONTRIBUTION

A monetary development contribution is payable to Waverley Council pursuant to section 7.12 of the *Environmental Planning and Assessment Act 1979* and the Waverley Council Development Contributions Plan 2006 in accordance with the following:

- (a) A cost report indicating the itemised cost of the development shall be completed and submitted to Council:
 - (i) Where the total development cost is less than \$500,000:
"Waverley Council Cost Summary Report"; or,
 - (ii) Where the total development cost is \$500,000 or more:
"Waverley Council Registered Quantity Surveyor's Detailed Cost Report".

A copy of the required format for the cost reports are provided in the Waverley Council Contributions Plan 2006, available on Council's website.

- (b) As legislated in section 25K of the *Environmental Planning and Assessment Regulation 2000*, the levy must be paid in accordance with the following;
 - (i) A development valued at \$100,000 or less will be exempt from the levy;
 - (ii) A development valued at \$100,001 - \$200,000 will attract a levy of 0.5% of the full cost of the development; or
 - (iii) A development valued at \$200,001 or more will attract a levy of 1% of the full cost of the development.

Prior to the issue of any Construction Certificate, evidence must be provided that the levy has been paid to Council in accordance with this condition or that the cost of works is less than \$100,000.

4. SECURITY DEPOSIT

A deposit (cash or cheque) or guarantee for the amount of **\$6,860.00** must be provided to Council for any damage caused to any property of the consent authority (ie. public land) as a consequence of the works and completing any public work (such as road work, kerbing and guttering, footway construction, stormwater drainage and environmental controls) required in connection with the consent.

This deposit (cash or cheque) or guarantee must be provided to Council prior to the issue of any Construction Certificate. The full amount of the deposit, minus Council's costs for any repair of damage to Council property or rectification of unauthorised works on Council property, will be refunded after satisfactory completion all of works associated with this consent (including the required public works) to the person who paid the deposit.

5. LONG SERVICE LEVY

A long service levy, as required under section 34 of the *Building and Construction Industry Long Service Payments Act, 1986*, is to be paid in respect of this building work. Evidence that the levy has been paid is to be submitted to the Principal Certifying Authority prior to the issue of any Construction Certificate.

Note: Council acts as an agent for the Long Service Payment Corporation and the levy may be paid at Council's office. The levy rate is 0.35% of building work costing \$25,000 or more.

CONSTRUCTION & SITE MATTERS

6. HOARDING

To ensure the site is contained during construction, a hoarding is required for the approved works, which is to be designed and constructed in accordance with the requirements of Safe Work NSW. Where the hoarding is to be erected over the footpath or any public place, the approval of Council's Compliance Unit must be obtained and the applicable fees paid, prior to the erection of the hoarding.

7. EROSION & SEDIMENT CONTROL

A Soil and Water Management Plan (SWMP), also known as an Erosion and Sediment Control Plan must be prepared in accordance with Waverley Council's Water Management Technical Manual.

The SWMP must be approved by the Principal Certifying Authority prior to the issue of a Construction Certificate. A copy of the SWMP must be kept on site at all times and made available to Council officers upon request.

The recommendations of the SWMP must be implemented and maintained during all construction activities and until the site is fully stabilised following construction.

8. ENGINEERING DETAILS

Structural details are to be prepared and certified by a practicing Structural Engineer in connection with all structural components of the approved works, prior to the issue of the relevant Construction Certificate.

TRAFFIC MANAGEMENT

9. CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CTMP)

The applicant is to submit a Construction Traffic Management Plan (CTMP) for the approval of Council's Executive Manager, Infrastructure Services, or delegate, prior to the issue of any Construction Certificate. For further information on what is required in the CTMP, please refer to Council's website at:

https://www.waverley.nsw.gov.au/building/development_applications/post_determination/development_applications_-_conditions_of_consent

STORMWATER & FLOODING

10. STORMWATER MANAGEMENT

To ensure that stormwater runoff from the development is drained in an appropriate manner, without impact to neighbouring properties and downstream systems, a detailed plan and certification of the development's stormwater management system must be submitted and approved by the Executive Manager, Infrastructure Services (or delegate) prior to the issue of the relevant Construction Certificate.

The applicant must submit plans and specifications to comply with the current Waverley Council Water Management Technical Manual and Development Control Plan (DCP) at the time of engineering plan approval. The submitted plans shall be prepared by a suitably qualified and practising Civil Engineer and:

- a) The stormwater management plan must specify any components of the existing system to be retained and certified during construction to be in good condition and of adequate capacity to convey additional runoff and be replaced or upgraded if required.
- b) Detail the location of the existing stormwater drainage system including all pipes, inspection openings, surface drains, pits and their discharge location as well as any new stormwater drainage system.
- c) The applicant is to pay to Council fees for assessment of all engineering plans and inspection of the completed works in the public domain inclusive of all stormwater assessment, in accordance with Council's Schedule of Fees & Charges at the time of engineering plan approval, prior to such approval being granted by Council. An invoice will be issued to the applicant for the amount payable, which will be calculated based on the design plans for the subject development.
- d) Any affected Council's infrastructure as the result of construction activities within the public domain area, inclusive of stormwater, stormwater outlet/s, kerb and gutter, pavement, grass verges and vehicle crossovers within the extent works shall be replaced as per Waverley Council Public Domain Technical Manual. All associated costs shall be borne by the applicant.

Notes:

- Since a sewer main runs through the property, plans must also be presented to a Sydney Water Tap in™ for their approval.
- The Applicant is advised to consider the finished levels of the public domain, including new or existing footpaths and pavement prior to setting the floor levels for the proposed development.
- Waverley Council standard drawings for public domain infrastructure assets are available upon request. Details that are relevant may be replicated in the Engineering design submissions however, Council's title block shall not be replicated.
- Prior to commencement of works a security deposit will be made payable to Council to ensure any additional damage or unauthorised works within the Council property, not conditioned above. Council will reserve the right to withhold the cost of restoring the damaged assets from the security deposit should the applicant fail to restore the defects to the satisfaction of Council.
- Council's contact for infrastructure assessment: E-mail: assets@waverley.nsw.gov.au or Phone: 9083 8886 (operational hours between 9.30am to 4pm Monday to Friday)

ENERGY EFFICIENCY & SUSTAINABILITY

11. BASIX

All requirements of the BASIX Certificate and NatHERS documentation are to be shown on the Construction Certificate plans and documentation.

WASTE

12. SITE WASTE AND RECYCLING MANAGEMENT PLAN

A *Site Waste and Recycling Management Plan (SWRMP) - Part 2* is to be submitted to the Principal Certifying Authority prior to the issue of the relevant Construction Certificate, which outlines materials to be reused and/or recycled as a result of demolition and construction works. At least one copy of the *SWRMP Part 2* is to be available on site at all times during construction. Copies of demolition and construction waste dockets that verify the facility that received the material for recycling or disposal and the quantity of waste received, must be retained on site at all times during construction.

13. DILAPIDATION REPORT

A Dilapidation report is to be prepared for any adjoining or nearby property that may be subject to potential damage as a result of any works being undertaken. The dilapidation report is to be made available to affected property owners.

The report is to be dated, submitted to, and accepted by the Principal Certifying Authority, prior to any work commencing on the site.

Note: Any damage that may be caused is a civil matter. This consent does not allow or authorise any party to cause damage, trespass, or any other unlawful act and Council will not be held responsible for any damage that may be caused to adjoining buildings as a consequence of the development being carried out. Council will not become directly involved in disputes between the builder, owner, developer, its contractors and the owners of neighbouring buildings.

WASTE

14. SITE WASTE AND RECYCLING MANAGEMENT PLAN

A *Site Waste and Recycling Management Plan (SWRMP) - Part 2* is to be submitted to the Principal Certifying Authority prior to the issue of the relevant Construction Certificate, which outlines materials to be reused and/or recycled as a result of demolition and construction works. At least one copy of the *SWRMP Part 2* is to be available on site at all times during construction. Copies of demolition and construction waste dockets that verify the facility that received the material for recycling or disposal and the quantity of waste received, must be retained on site at all times during construction.

FIRE SAFETY

15. ESSENTIAL SERVICES - EXISTING BUILDING

Details of the currently implemented and proposed essential fire safety measures shall be submitted to Council, with the Construction Certificate, in the form of a Fire Safety Schedule. This Schedule shall be prepared by a person competent to do so and shall specify the minimum standard of performance for each essential fire safety measure included in the Schedule.

At the completion of the installation, a Final Fire Safety Certificate shall be attached to the Occupation Certificate, certifying that each essential fire safety measure specified within the current Fire Safety Schedule:

- a) has been assessed by a properly qualified person; and
- b) found to be capable of performing to at least the standard required by the current Fire Safety Schedule for the building for which the Certificate is issued.

C. COMPLIANCE PRIOR TO WORK COMMENCING AND DURING CONSTRUCTION

The requirements outlined in this section are to be provided to the satisfaction of the Principal Certifying Authority in all instances, except where a condition explicitly specifies the approval of Council or a Council Officer is required.

PRIOR TO ANY WORKS

16. CONSTRUCTION SIGNS

Prior to commencement of any works on the site and during construction a sign shall be erected on the main frontage of the site detailing the name, address and contact details (including a telephone number) of the Principal Certifying Authority and principal contractor (the coordinator of the building works). The sign shall be clearly legible from the adjoining street/public areas and maintained throughout the building works.

DEMOLITION

17. DEMOLITION – ASBESTOS AND HAZARDOUS MATERIALS

The demolition, removal, storage, handling and disposal of products and materials containing asbestos must be carried out in accordance with the relevant requirements of SafeWork NSW and the NSW Environment Protection Authority (EPA), including:

- Work Health and Safety Act 2011;
- Work Health and Safety Regulation 2017;
- SafeWork NSW Code of Practice for the Safe Removal of Asbestos;
- Australian Standard 2601 (2001) – Demolition of Structures;
- *Protection of the Environment Operations Act 1997*.

At least 5 days prior to the demolition, renovation work or alterations and additions to any building, the person acting on the consent shall submit a Work Plan to the Principal Certifying Authority in accordance with Australian Standard AS 2601-2001, Demolition of Structure and a Hazardous Materials Assessment prepared by a person with suitable expertise and experience. The Work Plan and Hazardous Materials Assessment shall:

- (a) Outline the identification of any hazardous materials, including surfaces coated with lead paint;
- (b) Confirm that no asbestos products are present on the subject land, or
- (c) particularise a method of safely disposing of the asbestos in accordance with the Code of Practice on how to safely remove asbestos published by SafeWork NSW (catalogue WC03561);
- (d) Describe the method of demolition;
- (e) Describe the precautions to be employed to minimise any dust nuisance; and
- (f) Describe the disposal methods for hazardous materials.

18. CONTROL OF DUST ON CONSTRUCTION SITES

The following requirements apply to demolition and construction works on site:

- (a) Hazardous dust is not to be allowed to escape from the site. The use of fine mesh dust proof screens or other measures are recommended. Any existing accumulations of dust (e.g. ceiling voids and wall cavities) must be removed by the use of an industrial vacuum fitted with a high efficiency particle air (HEPA) filter. All dusty surfaces and dust created from work are to be suppressed by a fine water spray. Water must not be allowed to enter the street and stormwater systems. Demolition is not to be performed during adverse winds, which may cause dust to spread beyond the site boundaries.
- (b) All contractors and employees directly involved in the removal of hazardous dusts and substances are to wear protective equipment conforming to Australian Standard AS1716 Respiratory Protective Devices.

CONSTRUCTION MATTERS

19. CONSTRUCTION HOURS

Demolition and building work must only be undertaken between the hours of 7am and 5pm on Mondays to Fridays and 8am to 3pm on Saturdays, with no work to be carried out on Sundays and public holidays.

Excavation works involving the use of heavy earth movement equipment, including rock breakers and the like, must only be undertaken between the hours of 7am and 5pm on Mondays to Fridays, with no such work to be carried out on Saturday, Sunday or a public holiday.

Noise from construction activities shall comply with the *Protection of the Environmental Operations (Noise Control) Regulation 2017*.

20. STOCKPILES, STORAGE OF MATERIALS AND LOCATION OF BUILDING OPERATIONS

All building materials and any other items associated with the development are to be stored within the property. No materials are to be stored on Council's footpath, nature strip, or road reserve without prior Council approval.

21. CONSTRUCTION INSPECTIONS

The building works are to be inspected during construction by the Principal Certifying Authority (PCA) in accordance with the *Building Legislation Amendment (Quality of Construction) Act 2002*, clause 162A of the *Environmental Planning and Assessment Regulation 2000* and the requirements of any other applicable legislation or instruments.

22. CERTIFICATE OF SURVEY - LEVELS

All construction works are to be in accordance with the Reduced Levels (RLs) as shown on the approved plans. Certification from a Registered Surveyor certifying ground, upper floor/s and finished ridge levels is to be submitted to the Principal Certifying Authority during construction and prior to continuing to a higher level of the building.

23. CERTIFICATE OF SURVEY - BOUNDARIES AND LOCATION OF BUILDING

A Certificate of Survey prepared by a Registered Surveyor setting out the boundaries of the site and the location of the building on the site is to be submitted to the Principal Certifying Authority to certify the building is located in accordance with the development consent plans. The Certificate is to be submitted prior to the construction of the external walls above the ground floor level of the building.

24. WORK OUTSIDE PROPERTY BOUNDARY

This consent does not authorise any work outside the property boundary.

D. PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE OR SUBDIVISION CERTIFICATE

The requirements outlined in this section are to be provided to the satisfaction of the Principal Certifying Authority in all instances, except where a condition explicitly specifies the approval of Council or a Council Officer is required, prior to the issue of an Occupation Certificate or Subdivision Certificate, whichever applies.

CERTIFICATES, LICENCES, EASEMENTS AND RESTRICTIONS

25. FINAL OCCUPATION CERTIFICATE

Prior to occupation or use of the development, an Occupation Certificate must be obtained.

The Principal Certifying Authority must be satisfied that the requirements of the *Environmental Planning & Assessment Act 1979* have been satisfied including all critical stage inspections. Documentary evidence of all required inspections is to be submitted to Council.

26. CERTIFICATION OF BASIX COMMITMENTS

The Principal Certifying Authority shall certify that the all the undertakings in the approved BASIX certificate have been completed.

27. CERTIFICATION OF CONSTRUCTED STORMWATER DRAINAGE SYSTEM

Prior to issue of any Occupation Certificate, certification is to be provided from a suitably qualified and practising Engineer, that any new stormwater drainage system has been constructed in accordance with the Development Consent, Water Management Technical Manual, all applicable Codes, Policies, Plans, Standards and good engineering practice. A copy of the aforementioned letter of certification must be submitted to Council.

28. CERTIFICATION OF RETAINED STORMWATER DRAINAGE SYSTEM

Prior to issue of any Occupation Certificate, certification is to be provided from a suitably qualified and practising Engineer or Plumber, that any retained stormwater drainage system is unblocked, in good working order and to be repair/replaced in accordance with Council's Water Management Technical Manual and Development Control Plan and all applicable Codes, Policies, Plans, Standards and good engineering practice. A copy of the aforementioned letter of certification must be submitted to Council.

ADVISORY MATTERS

The following advisory matters are provided as additional information to ensure compliance with the relevant legislation and requirements. You must also check other Commonwealth and NSW Acts and Regulations which may apply to the works or use approved in this application.

AD1. POST CONSENT CONDITIONS REQUIRING COUNCIL INPUT

Various conditions require further input, review or approval by Council in order to be satisfied following the determination of the application (that is, post consent). In those instances, please adhere to the following process to avoid delays:

- Please read your conditions carefully.
- Information to be submitted to Council should be either via email to info@waverley.nsw.gov.au or via the NSW Planning Portal (if required).
- Attention the documentation to the relevant officer/position of Council (where known/specified in condition).
- Include DA reference number.
- Include condition number/s seeking to be addressed.
- Where multiple conditions need Council input, please try to group the documentation / email/s into relevant subjects (multiple emails for various officers may be necessary, for example).
- Information to be submitted in digital format – refer to ‘Electronic lodgement guidelines’ on Council’s website. Failure to adhere to Council’s naming convention may result in documentation being rejected.
- Where files are too large for email, the digital files should be sent to Council via CD/USB. Council does not support third party online platforms (data in the cloud) for receipt of information.
- Please note, in some circumstances, additional fees and/or additional documents (hard copy) may be required.
- Council’s standard for review (from date the relevant officer receives documentation) is 14 days. Times may vary or be delayed if information is not received in this required manner.

AD2. SYDNEY WATER REQUIREMENTS

You may be required to submit your plans to the appropriate Sydney Water office to determine whether the development will affect Sydney Water’s sewer and water mains, stormwater drains and/or easements.

Contact Sydney Water for more information.

AD3. TELECOMMUNICATIONS ACT 1997 (COMMONWEALTH)

Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra’s network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution. Furthermore, damage to Telstra’s infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra’s assets in any way, you are required to contact: Telstra’s Network Integrity Team on Phone Number 1800810443.

AD4. TREE REMOVAL/PRESERVATION

Any trees not identified for removal in this application have not been assessed and separate approval may be required. Any pruning of trees on adjoining properties required for the erection of scaffolding and/or the construction of the building may also require approval.

